




# SORAA LED MR16 LAMP FAMILIES

Product Family	Part Number	Soraa Reference Number	Product Code	Beam	CBCP	Watts	Halogen Equivalent
<b>VIVID 2700K</b>	MR16-40-B01-12-927-14	MR16-AB1-A1-927-10T-14-S1	00175	14°	3125	10.4	35W
	MR16-50-B01-12-927-20	MR16-AA1-A1-927-122-20-S1	00199	20°	2060	12.2	40W
	MR16-50-B01-12-927-25	MR16-AA1-A1-927-122-25-S1	00203	25°	1750	12.2	40W
	MR16-50-B01-12-927-36	MR16-AA1-A1-927-122-36-S1	00211	36°	1025	12.2	40W
<b>VIVID 3000K</b>	MR16-40-B01-12-930-14	MR16-AB1-A1-930-10T-14-S1	00174	14°	3250	10.4	36W
	MR16-50-B01-12-930-20	MR16-AA1-A1-930-122-20-S1	00198	20°	2100	12.2	40W
	MR16-50-B01-12-930-25	MR16-AA1-A1-930-122-25-S1	00202	25°	1900	12.2	40W
	MR16-50-B01-12-930-36	MR16-AA1-A1-930-122-36-S1	00210	36°	1075	12.2	40W
<b>VIVID 9.5 2700K</b>  Works in Enclosed Fixtures	MR16-30-B01-12-927-14	MR16-AB1-A1-927-09T-14-S1	00171	14°	2800	8.8	30W
	MR16-36-B01-12-927-20	MR16-AA1-A1-927-095-20-S1	00183	20°	1680	9.5	35W
	MR16-36-B01-12-927-25	MR16-AA1-A1-927-095-25-S1	00187	25°	1400	9.5	35W
	MR16-36-B01-12-927-36	MR16-AA1-A1-927-095-36-S1	00195	36°	900	9.5	35W
<b>VIVID 9.5 3000K</b>  Works in Enclosed Fixtures	MR16-30-B01-12-930-14	MR16-AB1-A1-930-09T-14-S1	00170	14°	2920	8.8	30W
	MR16-36-B01-12-930-20	MR16-AA1-A1-930-095-20-S1	00183	20°	1680	9.5	35W
	MR16-36-B01-12-930-25	MR16-AA1-A1-930-095-25-S1	00186	25°	1475	9.5	35W
	MR16-36-B01-12-930-36	MR16-AA1-A1-930-095-36-S1	00194	36°	950	9.5	35W
<b>PREMIUM 2700K</b>	MR16-40-B01-12-827-14	MR16-AB1-A1-827-10T-14-S1	00173	14°	4000	10.4	40W
	MR16-50-B01-12-827-20	MR16-AA1-A1-827-122-20-S1	00197	20°	2680	12.2	50W
	MR16-50-B01-12-827-25	MR16-AA1-A1-827-122-25-S1	00201	25°	2320	12.2	50W
	MR16-50-B01-12-827-36	MR16-AA1-A1-827-122-36-S1	00209	36°	1200	12.2	50W
<b>PREMIUM 3000K</b>	MR16-40-B01-12-830-14	MR16-AB1-A1-830-10T-14-S1	00172	14°	4250	10.4	40W
	MR16-50-B01-12-830-20	MR16-AA1-A1-830-122-20-S1	00196	20°	2740	12.2	50W
	MR16-50-B01-12-830-25	MR16-AA1-A1-830-122-25-S1	00200	25°	2375	12.2	50W
	MR16-50-B01-12-830-36	MR16-AA1-A1-830-122-36-S1	00208	36°	1260	12.2	50W
<b>OUTDOOR 2700K</b>  Works in Enclosed Fixtures	MR16-30-B01-12-827-14	MR16-AB1-A1-827-09T-14-S1	00169	14°	3380	8.8	30W
	MR16-36-B01-12-827-20	MR16-AA1-A1-827-095-20-S1	00181	20°	2300	9.5	36W
	MR16-36-B01-12-827-25	MR16-AA1-A1-827-095-25-S1	00185	25°	1980	9.5	36W
	MR16-36-B01-12-827-36	MR16-AA1-A1-827-095-36-S1	00193	36°	1080	9.5	36W
<b>OUTDOOR 3000K</b>  Works in Enclosed Fixtures	MR16-30-B01-12-830-14	MR16-AB1-A1-830-09T-14-S1	00168	14°	3440	8.8	30W
	MR16-36-B01-12-830-20	MR16-AA1-A1-830-095-20-S1	00180	20°	2340	9.5	36W
	MR16-36-B01-12-830-25	MR16-AA1-A1-830-095-25-S1	00184	25°	2020	9.5	36W
	MR16-36-B01-12-830-36	MR16-AA1-A1-830-095-36-S1	00192	36°	1100	9.5	36W



The diagram above shows how to read the different components of the part number. Base type B01 refers to the GU 5.3 base.

Information and specifications subject to change. 2.12.13